

# **PGF30T-1**



Product Family Hob

Built-in Ultra-low profile

Dimensions30 cmPower supplyElectricTypeTeppanyakiEAN code8017709161910



#### **Aesthetics**

ColourStainless steelFinishingBrushed

Aesthetics Classic

MaterialStainless SteelType of steelBrushedType of control settingControl knobs

Control knobs position Front No. of controls 2

Controls colourSteel effectSerigraphy colourBlack

### **Programme / Functions**

Total no. of cook zones 2
No. of induction cook zones 2
Power levels 9

### **Options**



Standard cut out 494x292 mm Cleaning option Yes

Control Lock / Child Yes

Safety

#### **Technical Features**








Automatic switch off when overheat

Yes

Residual heat indicator Yes

### **Electrical Connection**

Nominal power (W) 3000 W Current 13 A Voltage (V) 220-240 V Frequency (Hz) 50/60 Hz Power supply cable 120 cm length





## Not included accessories

LGPGF-1

Aluminium connecting strip for PGF

6MP1PGF

6 Linea knobs for PGF hobs





### Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.