

PGF31G-1



Product Family	Hob
Built-in	Ultra-low profile
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709161927



Aesthetics



Colour	Stainless steel
Finishing	Brushed
Aesthetics	Classic
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Burners	Standard
Burners Material	Alluminium
Type of control setting	Control knobs
Control knobs position	Front
No. of controls	2
Controls colour	Steel effect
Serigraphy colour	Black

Programme / Functions

Total no. of cook zones	1
No. of gas cook zones	1

Options

Standard cut out	494x292 mm
------------------	------------

Technical Features

UR

Central - Gas - UR - 5.20 kW

Gas safety valves	Yes	Automatic Ignition	Yes
--------------------------	------------	---------------------------	------------

Accessories Included


Cast iron wok support **1**

Electrical Connection

Nominal power (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm

Gas Connection


Gas Type	G20 Natural gas	Other gas nozzles included	G30 GPL Liquid gas, G110 City gas
Gas connection	Cilindrical	Gas connection rating (W)	5200 W



Not included accessories



WOKGHU
Cast-Iron WOK Support



GRW
Wok support



GRM
Gas hobs moka support



DICAR
Simmer plate, 5 pieces kit



LGPGF-1
Aluminium connecting strip for PGF

6MP1PGF
6 Linea knobs for PGF hobs



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.