

## SF9300GVXK1

**Product Family:** Oven

**Category:** 90cm

**Power supply:** Gas

**Heat source:** GAS

**Cooking method:** Fan assisted

**Oven control:** Electro-mechanical

**EAN code:** 8017709254636



### Aesthetics

---

Aesthetics: Classic

Design: Flat

Colour: Fingerproof Stainless Steel

Material: Stainless steel

Type of steel: Brushed

Glass Type: Eclipse

Serigraphy colour: Black

Serigraphy type: Symbols

Door: With 2 horizontal strips

Handle: Classic

Handle Colour: Inox

Logo: Embossed

### Programs / Functions

---

No. of cooking functions: 4

Traditional cooking functions



### Controls

---

Display: DigiTime screen

Display technology: LED

Control setting: Knobs

No. of controls: 2

Control knobs: Classic

Controls colour: Steel effect

## Options

---

Timer: Electro-mechanical  
Time-setting options: No delay options  
Minute minder  
End of cooking acoustic alarm

## Technical Features

---

Temperature control: Electro-mechanical  
Minimum Temperature: 130 °C  
Maximum temperature: 250 °C  
Cavity material: Enamel  
No. of shelves: 5  
Shelves type: Metal racks  
N. of fans: 1  
No. of lights: 2  
Light type: Halogen  
User-replaceable light  
Light Power: 40 W  
Grill element - power: 1700 W

Door opening type: Standard opening  
Door: Temperate door  
Total no. of door glasses: 2  
No. of thermoreflecting door glasses: 2  
Safety Thermostat  
Cooling system: Tangential  
Cooling duct: Double  
Gas safety valve  
Usable cavity space dimensions (HxWxD): 371x724x418 mm

## Performance / Energy Label

---

Energy efficiency class: A  
Net volume of the cavity: 102 litres  
Energy consumption per cycle in conventional mode: 2.22 KWh  
Energy consumption in conventional mode: 8 MJ  
Energy consumption in forced air convection: 8.8 MJ  
Number of cavities: 1  
Energy efficiency index: 99.8 %

Energy consumption per cycle in fan-forced convection: 2.44 KWh  
Gross volume: 116 litres

## Accessories Included

---

Grid: 1  
Enamelled tray (20mm): 1

## Electrical Connection

---

Voltage: 127 V  
Nominal power: 1800 W  
Frequency (Hz): 60 Hz  
Power supply cable length: 200 cm

## Accessories not included

---



### **BNP608T**

Teflon-coated tray, 8mm depth, to be placed on the grid



### **SFLK1**

Child lock

