

# KPF36UOG

Product family	Hood
Hood Type	Decorative wall hood
Design	Chimney
Extraction	Expulsion
Material	Stainless Steel + Painted Material
Type of steel	Brushed
EAN code	8017709246280
Hood width	90 cm



## Aesthetics

Colour	Olive green	Serigraphy colour	Silver
Aesthetics	Portofino	Logo	Applied



## Controls

Control setting	Control knobs	Control knobs	Portofino
No. of controls	2	Controls colour	Steel effect

## Programme / Functions

No. of speeds	4
---------------	---

## Technical Features

			
No. of lights	2	No. of filters	3
Light type	LED	Anti-grease filters	Stainless steel
Light power	2 W	Vent outlet	150 mm
Light color temperature scale (°K)	4000 °K	Minimum distance from GAS hob	750 mm
Free outlet maximum capacity	981 m <sup>3</sup> /h	Minimum distance from ELECTRIC hob	650 mm
Motor power	455 W	Non return valve	Yes

	Extraction rate IEC 61591 [m <sup>3</sup> /h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	358	53
Speed 2	539	62
Speed 3	743	69
Speed 4	974	75

## Electrical Connection


Nominal power	495 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 mm

## Also available

Alternative colours available	White, Black, Stainless steel, Anthracite, Yellow, Red, Orange	Available colours	KPF36UWH-BL-X-AN-YW-RD-OR
-------------------------------	--	-------------------	---------------------------

## Optional accessories

Charcoal filter FLTK-1



## Not included accessories

---



**FLTK-1**

Round Charcoal filters (kit 2 pieces)



**KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.