

KPF36UWH

| | |
|----------------|------------------------------------|
| Product family | Hood |
| Hood Type | Decorative wall hood |
| Extraction | Expulsion |
| Material | Stainless Steel + Painted Material |
| Type of steel | Brushed |
| EAN code | 8017709246297 |
| Hood width | 90 cm |



Aesthetics

| | | | |
|------------|-----------|-------------------|---------|
| Colour | White | Serigraphy colour | Silver |
| Aesthetics | Portofino | Logo | Applied |



Controls

| | | | |
|-----------------|---------------|-----------------|--------------|
| Control setting | Control knobs | Control knobs | Portofino |
| No. of controls | 2 | Controls colour | Steel effect |

Programme / Functions

| | |
|---------------|---|
| No. of speeds | 4 |
|---------------|---|

Technical Features

| | | | |
|--|---|------------------------------------|-----------------|
|  |  | | |
| No. of lights | 2 | No. of filters | 3 |
| Light type | LED | Anti-grease filters | Stainless steel |
| Light power | 2 W | Vent outlet | 150 mm |
| Light color temperature scale (°K) | 4000 °K | Minimum distance from GAS hob | 750 mm |
| Free outlet maximum capacity | 981 m ³ /h | Minimum distance from ELECTRIC hob | 650 mm |
| Motor power | 455 W | Non return valve | Yes |

| | Extraction rate IEC 61591 [m ³ /h] | Noise level IEC 60704-2-13 [dB(A)] |
|---------|---|------------------------------------|
| Speed 1 | 358 | 53 |
| Speed 2 | 539 | 62 |
| Speed 3 | 743 | 69 |
| Speed 4 | 974 | 75 |

Electrical Connection


| | | | |
|---------------|-------|---------------------------|---------|
| Nominal power | 495 W | Frequency (Hz) | 60 Hz |
| Voltage | 120 V | Power supply cable length | 1000 mm |

Also available

| | | | |
|-------------------------------|--|-------------------|---------------------------|
| Alternative colours available | Black, Stainless steel, Anthracite, Yellow, Green, Red, Orange | Available colours | KPF36UBL-X-AN-YW-OG-RD-OR |
|-------------------------------|--|-------------------|---------------------------|

Optional accessories

Charcoal filter FLTK-1



Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.