

## PGF96K-4



<b>Product Family</b>	Hob
<b>Built-in</b>	Ultra-low profile
<b>Dimensions</b>	90 cm
<b>Power supply</b>	Gas
<b>Type</b>	Gas
<b>EAN code</b>	8017709266998

## Aesthetics

---



<b>Colour</b>	Stainless steel
<b>Finishing</b>	Brushed
<b>Aesthetics</b>	Classic
<b>Material</b>	Stainless Steel
<b>Type of steel</b>	Brushed
<b>Pan stands</b>	Cast iron
<b>Burners</b>	Standard
<b>Burners Material</b>	Alluminium
<b>Type of control setting</b>	Control knobs
<b>Control knobs position</b>	Front
<b>No. of controls</b>	6
<b>Controls colour</b>	Steel effect
<b>Serigraphy colour</b>	Black

## Programme / Functions

---

<b>Total no. of cook zones</b>	6
<b>No. of gas cook zones</b>	6

## Options

---

<b>Standard cut out</b>	482x847 mm
-------------------------	------------

## Technical Features

---

**UR** **UR**

Front left - Gas - UR - 4.20 kW  
 Rear left - Gas - AUX - 1.05 kW  
 Front centre - Gas - AUX - 1.05 kW  
 Rear centre - Gas - Semi Rapid - 1.75 kW  
 Front right - Gas - UR - 4.20 kW  
 Rear right - Gas - Semi Rapid - 1.75 kW  
 Gas safety valves Yes

**Automatic Ignition** Yes

## Accessories Included


Cast iron wok support 2

## Electrical Connection

Nominal power (W)	1 W	Type of electric cable	Single phase
Voltage (V)	120 V	Frequency (Hz)	60 Hz
Voltage 2 (V)	240 V	Power supply cable length	120 cm





## Gas Connection

Gas Type	G30 GPL Liquid gas	Other gas nozzles included	G110 City gas, G20 Natural gas
Gas connection	Cilindrical	Gas connection rating (W)	14000 W



## Symbols glossary

---

- |  |   |   |  |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control  |