

KPF30UOG

Product family	Hood
Hood Type	Decorative wall hood
Extraction	Expulsion
Material	Stainless Steel + Painted Material
Type of steel	Brushed
EAN code	8017709261788
Hood width	90 cm



Aesthetics

Colour	Stainless steel	Serigraphy colour	Silver
Aesthetics	Portofino	Logo	Applied



Controls

Control setting	Control knobs	Control knobs	Portofino
No. of controls	2	Controls colour	Steel effect

Programme / Functions

No. of speeds	4
---------------	---

Technical Features

			
No. of lights	2	No. of filters	3
Light type	LED	Anti-grease filters	Stainless steel
Light power	2 W	Vent outlet	150 mm
Light color temperature scale (°K)	4000 °K	Minimum distance from GAS hob	750 mm
Free outlet maximum capacity	981 m ³ /h	Minimum distance from ELECTRIC hob	650 mm
Motor power	455 W	Non return valve	Yes

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	358	53
Speed 2	539	62
Speed 3	743	69
Speed 4	974	75

Electrical Connection


Nominal power	495 W	Frequency (Hz)	60 Hz
Voltage	120 V	Power supply cable length	1000 mm

Also available

Alternative colours available	White, Black, Anthracite, Yellow, Green, Red, Orange	Available colours	KPF30UWH-BL-AN-YW-OG-RD-OR
-------------------------------	--	-------------------	----------------------------

Optional accessories

Charcoal filter FLTK-1



Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)



KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.