

# KPF30URD

|                |                                    |
|----------------|------------------------------------|
| Product family | Hood                               |
| Hood Type      | Decorative wall hood               |
| Extraction     | Expulsion                          |
| Material       | Stainless Steel + Painted Material |
| Type of steel  | Brushed                            |
| EAN code       | 8017709261801                      |
| Hood width     | 90 cm                              |



## Aesthetics

|            |                 |                   |         |
|------------|-----------------|-------------------|---------|
| Colour     | Stainless steel | Serigraphy colour | Silver  |
| Aesthetics | Portofino       | Logo              | Applied |



## Controls

|                 |               |                 |              |
|-----------------|---------------|-----------------|--------------|
| Control setting | Control knobs | Control knobs   | Portofino    |
| No. of controls | 2             | Controls colour | Steel effect |

## Programme / Functions

|               |   |
|---------------|---|
| No. of speeds | 4 |
|---------------|---|

## Technical Features

|  |   |                                    |                 |
|--|---|------------------------------------|-----------------|
|  |  |                                    |                 |
| No. of lights  | 2   | No. of filters                     | 3               |
| Light type   | LED   | Anti-grease filters                | Stainless steel |
| Light power  | 2 W   | Vent outlet                        | 150 mm          |
| Light color temperature scale (°K)   | 4000 °K   | Minimum distance from GAS hob      | 750 mm          |
| Free outlet maximum capacity   | 981 m <sup>3</sup> /h   | Minimum distance from ELECTRIC hob | 650 mm          |
| Motor power  | 455 W   | Non return valve                   | Yes             |

|         | Extraction rate IEC 61591 [m <sup>3</sup> /h] | Noise level IEC 60704-2-13 [dB(A)] |
|---------|---|------------------------------------|
| Speed 1 | 358   | 53                                 |
| Speed 2 | 539   | 62                                 |
| Speed 3 | 743   | 69                                 |
| Speed 4 | 974   | 75                                 |

## Electrical Connection


|               |       |                           |         |
|---------------|-------|---------------------------|---------|
| Nominal power | 495 W | Frequency (Hz)            | 60 Hz   |
| Voltage       | 120 V | Power supply cable length | 1000 mm |

## Also available

|                               |  |                   |                            |
|-------------------------------|--|-------------------|----------------------------|
| Alternative colours available | White, Black, Anthracite, Yellow, Green, Red, Orange | Available colours | KPF30UWH-BL-AN-YW-OG-RD-OR |
|-------------------------------|--|-------------------|----------------------------|

## Optional accessories

Charcoal filter FLTK-1



## Not included accessories

---



### FLTK-1

Round Charcoal filters (kit 2 pieces)



### KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes

## Symbols glossary

---



**Filters:** Model has filters to help remove grease from the steam emanating from the pans during cooking.



**Lights:** All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.